

50



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/834,802	04/12/2001	Venugopal P. Reddy	020431.0832	8684
7590 07/07/2005				
Christopher W. Kennerly, Esq. Baker Botts L.L.P. 2001 Ross Avenue, 6th Floor Dallas, TX 75201-2980		EXAMINER CHANG, SUNRAY		
		ART UNIT PAPER NUMBER 2121		

DATE MAILED: 07/07/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/834,802

Applicant(s)

REDDY ET AL.

Examiner

Sunray Chang

Art Unit

2121

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 May 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-5, 8-19 and 22-28 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-5, 8-19 and 22-28 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

**DETAILED ACTION**

1. This office action is in responsive to the paper filed on May 16<sup>th</sup>, 2005.

2. Claims 1 – 5, 8 – 19, and 22 – 28 are presented for examination.

Claims 1 – 5, 8 – 19, and 22 – 28 are rejected.

Claims 1, 11 – 15 and 25 – 28 have been amended.

**Claim Rejections - 35 USC § 102**

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

3. Claims 1 – 28 are rejected under 35 U.S.C. 102(e) as being anticipated by Graham W. Glass (U.S. Patent No. 6,629,128, and referred to as **Glass** hereinafter).

4. **Regarding independent claim 1,**

**Glass teaches,**

- At least one server component [12, Fig. 1] supporting one or more server objects [18, Fig. 1] having associated data [19, Fig. 1].
- Server component [18, Fig. 1] is within a first container [12, Fig. 1].
- Client component [20, Fig. 1] is within a second container [14, Fig. 1] remote from the first container [Fig. 1].
- At least one client component [14, Fig. 1] distributed from the server component [12, Fig. 1] operable to access data associated with one or more of the server objects [Col. 5, Line 36 – 37].
- A scheme makes the server objects transparent to both remote and local client component [Col. 6, Line 31 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- In second container [14, Fig. 1], a proxy component [22, Fig. 1] supports proxy objects to provide a local version of a server object [Col. 6, Line 19 – 20].
- Proxy component provide the client component accessing proxy object data [Col.6, Line 21 – 23] when client requests data from server object [Col.6, Line 14].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

5. **Regarding dependent claim 2,**

- The scheme allows both local and remote client components to use the same operations to access server object data [Col. 6, Line 27 – 34].

6. **Regarding dependent claim 3,**

- Both local and remote client components are operable to access server object data [Col. 6, Line 27 – 34].

7. **Regarding dependent claim 4,**

- Client component is coded as if it will always be remote from associated server components [Col. 6, Line 30 – 32].
- All communications between client component and a server component will be remote [Col. 6, Line 30 – 32].

8. **Regarding dependent claim 5,**

- All client components of the server component have been developed using templated code [Col. 6, Line 59 – 61 and 64 – 67].
- Local and remote client-server interface transparency is preserved across all such client components [Col. 6, Line 30 – 34].
- Repetitive code generation has been minimized in developing such client components [Col. 6, Line 54 – 59].

9. **Dependent claim 6 cancelled.**

10. **Dependent claim 7 cancelled.**

11. **Regarding dependent claim 8,**

- Proxy component performs management tasks to the proxy component [Col. 6, Line 19 – 20].

12. **Regarding dependent claim 9,**

- Proxy component customized by a developer of the server component [Col. 6, Line 17 – 19].

13. **Regarding dependent claim 10,**

- Proxy component and server component cooperate to reconcile proxy object data with server object data consistently with local and remote client-server interface transparency [Col. 6, Line 19 – 20 and 33 – 34].

14. **Regarding independent claim 11,**

- At least one server component [12, Fig. 1] supporting one or more server objects [18, Fig. 1] having associated data [19, Fig. 1].
- Server component [18, Fig. 1] is within a first container [12, Fig. 1].

Art Unit: 2121

- Client component [20, Fig. 1] is within a second container [14, Fig. 1] remote from the first container [Fig. 1].
- At least one client component [14, Fig. 1] distributed from the server component [12, Fig. 1] operable to access data associated with one or more of the server objects [Col. 5, Line 36 – 37].
- The scheme allows both local and remote client components to use the same operations to access server object data [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- In second container [14, Fig. 1], a proxy component [22, Fig. 1] supports proxy objects to provide a local version of a server object [Col. 6, Line 19 – 20].
- Proxy component provide the client component accessing proxy object data [Col.6, Line 21 – 23] when client requests data from server object [Col.6, Line 14].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

15. **Regarding independent claim 12,**

Art Unit: 2121

- At least one server component [12, Fig. 1] in first container [12, Fig. 1] supporting one or more server objects [18, Fig. 1] having associated data [19, Fig. 1].
- At least one client component [20, Fig. 1], in a second container [14, Fig. 1] remote from the first container [12, Fig. 1], distributed from the server component [12, Fig. 1].
- The client component can access server objects data [Col. 6, Line 14] without been predetermined local or remote [Col. 6, Line 27 – 34].
- A scheme makes the server objects transparent to both remote and local client component [Col. 6, Line 31 – 34].
- The scheme allows both local and remote client components to use the same operations to access server object data [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

16. **Regarding independent claim 13,**

- A client component [14, Fig. 1] distributed from the server component [12, Fig. 1] with server object data [19, Fig.1].



Art Unit: 2121

- The client component can access server objects data [Col. 6, Line 14].
- A scheme makes the server objects transparent to both remote and local client component [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

**17. Regarding independent claim 14,**

- There is a proxy component [22, Fig. 1] and a client component [20, Fig. 1] in the first container [14, Fig. 1] remote to second container [12, Fig. 1].
- Second container [12, Fig. 1] containing a server component [18, Fig. 1] supports server objects data [19, Fig. 1].
- The client component is distributed from the server component [Fig. 1].
- A proxy component [22, Fig. 1] supports proxy objects to provide a local version of a server object [Col. 6, Line 19 – 20].
- Proxy component provide the client component accessing proxy object data [Col.6, Line 21 – 23] when client requests data from server object [Col.6, Line 14].

Art Unit: 2121

- Server objects transparent to both remote and local client component [Col. 6, Line 31 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

**18. Regarding independent claim 15,**

- Local client component directly access the requested server object data when requesting for server object data of a server component [26, 30, Fig. 2 and Col.6, Line 14].
- Remote client component using a proxy component providing local access to proxy object data instead of requested server object data [26, 30, 32 Fig. 2 and Col.6, Line 14].
- The proxy component has proxy objects, local copies of server objects [Col. 6, Line 19 – 20].
- The server objects transparent to both remote and local client component [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].

- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

19. **Regarding dependent claim 16,**

- The scheme allows both local and remote client components to use the same operations to access server object data [Col. 6, Line 27 – 34].

20. **Regarding dependent claim 17,**

- Both local and remote client components are operable to access server object data [Col. 6, Line 27 – 34].

21. **Regarding dependent claim 18,**

- Client component is coded as if it will always be remote from associated server components [Col. 6, Line 30 – 32].
- All communications between client component and a server component will be remote [Col. 6, Line 30 – 32].

22. **Regarding dependent claim 19,**

Art Unit: 2121

- All client components of the server component have been developed using templated code [Col. 6, Line 59 – 61 and 64 – 67].
- Local and remote client-server interface transparency is preserved across all such client components [Col. 6, Line 30 – 34].
- Repetitive code generation has been minimized in developing such client components [Col. 6, Line 54 – 59].

9. **Dependent claim 20 cancelled.**

10. **Dependent claim 21 cancelled.**

25. **Regarding dependent claim 22,**

- Proxy component performs management tasks to the proxy component [Col. 6, Line 19 – 20].

26. **Regarding dependent claim 23,**

- Proxy component customized by a developer of the server component [Col. 6, Line 17 – 19].

27. **Regarding dependent claim 24,**

Art Unit: 2121

- Proxy component and server component cooperate to reconcile proxy object data with server object data consistently with local and remote client-server interface transparency [Col. 6, Line 19 – 20 and 33 – 34].

28. **Regarding independent claim 25,**

- Local client component directly access the requested server object data when requesting for server object data of a server component [26, 30, Fig. 2 and Col.6, Line 14].
- Remote client component using a proxy component providing local access to proxy object data instead of requested server object data [26, 30, 32 Fig. 2 and Col.6, Line 14].
- The proxy component has proxy objects, local copies of server objects [Col. 6, Line 19 – 20].
- The scheme allows both local and remote client components to use the same operations to access server object data [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

29. **Regarding independent claim 26,**

- Local client component directly access the requested server object data when requesting for server object data of a server component [26, 30, Fig. 2 and Col.6, Line 14].
- Remote client component using a proxy component providing local access to proxy object data instead of requested server object data [26, 30, 32 Fig. 2 and Col.6, Line 14].
- Server component [18, Fig. 1] is within a first container [12, Fig. 1].
- Client component [20, Fig. 1] is within a second container [14, Fig. 1] remote from the first container [Fig. 1].
- The proxy component has proxy objects, local copies of server objects [Col. 6, Line 19 – 20].
- The server objects transparent to both remote and local client component [Col. 6, Line 27 – 34].
- Both local and remote client components use the same operations to access server object data [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

30. **Regarding independent claim 27,**

- A scheme makes the server object substantially transparent to the remote or local client component, while client component accessing remote server object data [Col. 6, Line 27 – 32].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

31. **Regarding independent claim 28,**

- There is a proxy component [22, Fig. 1] and a client component [20, Fig. 1] in the first container [14, Fig. 1] remote to second container [12, Fig. 1].
- Second container [12, Fig. 1] containing a server component [18, Fig. 1] supports server objects data [19, Fig. 1].
- a proxy component [22, Fig. 1] supports proxy objects to provide a local version of a server object [Col. 6, Line 19 – 20].

Art Unit: 2121

- Proxy component provide the client component accessing proxy object data [Col.6, Line 21 – 23] when client requests data from server object [Col.6, Line 14].
- The server objects transparent to both remote and local client component [Col. 6, Line 27 – 34].
- Remote communication data accessing is optimized by client component [26, 30 and 32, Fig. 2, and Col. 6, Lines 51 – 67].
- Local communication data accessing is optimized by proxy component [26 and 30, Fig. 2, and Col. 6, Lines 51 – 67].
- Substantially immediately reflect all changes to data associated with the proxy objects back to data associated with corresponding server objects. [remote proxies in general are responsible for encoding a request and it's arguments and sending the encoded request to the subject object, Col. 6, Lines 24 – 27]

**Response to Amendment**

**Claim Rejections - 35 USC § 102**

32. Applicants' argument regarding "**Glass** does not disclose data access operations optimized for either local or remote communication" (Page 17) is disagreed with. **Glass** discloses system optimization including reducing requirements, minimize compile and load time, optimize system performance [Col. 6, Lines 51 – 67].

33. Applicants' argument regarding "**Glass** does not disclose a subject object, a server object, or even a server component that is substantially **transparent** to a local or remote client



Art Unit: 2121

component” (Page 17) is disagreed with. **Glass** discloses “Remote proxies also **hide the location** of the subject object from the requesting local object ... local object is **unconcerned with the location of subject object**” [Col. 6, Lines 27 – 34].

**Conclusion**


34. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sunray Chang whose telephone number is (571) 272-3682. The examiner can normally be reached on M-F 7:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Anthony Knight can be reached on (571) 272-3687. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-746-3506.

Sunray Chang  
Patent Examiner  
Group Art Unit 2121  
Technology Center 2100  
U.S. Patent and Trademark Office

July 2, 2005

  
**Anthony Knight**  
**Supervisory Patent Examiner**  
**Group 3600**